

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922) 49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Ижевск (3412)26-03-58
Иваново (4932)77-34-06
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Ноябрьск (3496)41-32-12
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Сургут (3462)77-98-35
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://supelco.nt-rt.ru> || suz@nt-rt.ru

Капиллярные хиральные колонки

Nukol™ Capillary GC Column

Compare Product No.	Description
24207	size × I.D. 30 m × 0.32 mm, d _f 1.00 μm
24107	size × I.D. 30 m × 0.25 mm, d _f 0.25 μm
25326	size × I.D. 15 m × 0.53 mm, d _f 0.50 μm
25327	size × I.D. 30 m × 0.53 mm, d _f 0.50 μm
24132	size × I.D. 60 m × 0.32 mm, d _f 0.25 μm

Show More




SCOT Capillary GC Column

Compare Product No.	Description
23818-U	phase BMEA
23813-U	phase Bentone 34/DNDP
23829-U	phase TCEP



PAG Capillary GC Column

Compare Product No.	Description
24223	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm



Omegawax™ Capillary GC Column

Compare Product No.	Description
24136	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm
24152	L × I.D. 30 m × 0.32 mm, d _f 0.25 μm
25374	L × I.D. 30 m × 0.53 mm, d _f 0.50 μm
23399-U	L × I.D. 15 m × 0.10 mm, d _f 0.10 μm



VOCOL® Capillary GC Column

Compare Product No.	Description
28463-U	L × I.D. 20 m × 0.18 mm, d _f 1.00 μm
24205-U	L × I.D. 30 m × 0.25 mm, d _f 1.50 μm
24154	L × I.D. 60 m × 0.25 mm, d _f 1.50 μm
24217-U	L × I.D. 60 m × 0.32 mm, d _f 1.80 μm
24157	L × I.D. 60 m × 0.32 mm, d _f 3.00 μm

Show More



SLB®-IL60 Capillary GC Column

Compare Product No.	Description
29506-U	L × I.D. 60 m × 0.25 mm, d _f 0.20 μm
29503-U	L × I.D. 15 m × 0.10 mm, d _f 0.08 μm
29504-U	L × I.D. 20 m × 0.18 mm, d _f 0.14 μm
29505-U	L × I.D. 30 m × 0.25 mm, d _f 0.20 μm
29508-U	L × I.D. 30 m × 0.32 mm, d _f 0.26 μm



TCEP Capillary GC Column

Compare Product No.	Description
24161	L × I.D. 60 m × 0.32 mm, d _f 0.51 μm
24153	L × I.D. 60 m × 0.25 mm, d _f 0.44 μm



SPB[®]-50 Capillary GC Column

Compare Product No.	Description
24181	d _f 0.25 μm
24187	d _f 0.25 μm



MET-Biodiesel Capillary GC Column

Compare Product No.	Description
28804-U	L × I.D. 10 m × 0.32 mm , with 2 m x 0.53 mm I.D. guard, d _f 0.10 μm
28808-U	L × I.D. 15 m × 0.32 mm , with 2 m x 0.53 mm I.D. guard, d _f 0.10 μm



SAC[™]-5 Capillary GC Column

Compare Product No.	Description
24156	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm



SP[®]-2330 Capillary GC Column

Compare Product No.	Description
24020-U	L × I.D. 60 m × 0.25 mm, d _f 0.20 μm
24019	L × I.D. 30 m × 0.25 mm, d _f 0.20 μm
24018	L × I.D. 15 m × 0.25 mm, d _f 0.20 μm
24073	L × I.D. 30 m × 0.32 mm, d _f 0.20 μm
24074	L × I.D. 60 m × 0.32 mm, d _f 0.20 μm



SPB[®]-20 Capillary GC Column

Compare Product No.	Description
24196-U	size × I.D. 30 m × 0.25 mm, d _f 1.00 μm
24086	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm



MET-SimDis Capillary GC Column

Compare Product No.	Description
29894-U	L × I.D. 5 m × 0.53 mm, d _f 0.88 μm
29893-U	L × I.D. 5 m × 0.53 mm, d _f 0.17 μm
29895-U	L × I.D. 10 m × 0.53 mm, d _f 0.88 μm
29896-U	L × I.D. 5 m × 0.53 mm, d _f 2.65 μm
29898-U	L × I.D. 10 m × 0.53 mm, d _f 2.65 μm



SLB[®]-IL111 Capillary GC Column

Compare Product No.	Description
28927-U	L × I.D. 30 m × 0.25 mm, d _f 0.20 μm
28928-U	L × I.D. 60 m × 0.25 mm, d _f 0.20 μm
29647-U	L × I.D. 100 m × 0.25 mm, d _f 0.20 μm
29689-U	L × I.D. 200 m × 0.25 mm, d _f 0.20 μm



Watercol[™] 1910 Capillary GC Column

Compare Product No.	Description
29711-U	L × I.D. 30 m × 0.25 mm, d _f 0.20 μm
29714-U	L × I.D. 30 m × 0.32 mm, d _f 0.26 μm



SLB[®]-IL76i Capillary GC Column

Compare Product No.	Description
29869-U	L × I.D. 30 m × 0.25 mm, d _f 0.20 μm



SLB[®]-IL100 Capillary GC Column

Compare Product No.	Description
---------------------	-------------

Compare Product No.	Description
28884-U	L × I.D. 30 m × 0.25 mm, d _f 0.20 μm
28886-U	L × I.D. 60 m × 0.25 mm, d _f 0.20 μm
28887-U	L × I.D. 30 m × 0.32 mm, d _f 0.26 μm



SLB[®]-IL59 Capillary GC Column

Compare Product No.	Description
28891-U	L × I.D. 30 m × 0.25 mm, d _f 0.20 μm
28880-U	L × I.D. 15 m × 0.10 mm, d _f 0.08 μm



SPB[®]-Octyl Capillary GC Column

Compare Product No.	Description
24233-U	L × I.D. 60 m × 0.25 mm, d _f 1.00 μm
24218-U	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm



Equity[®]-1 Capillary GC Column

Compare Product No.	Description
28052-U	L × I.D. 100 m × 0.25 mm, d _f 1.00 μm
28041-U	L × I.D. 12 m × 0.20 mm, d _f 0.33 μm
28046-U	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm
28047-U	L × I.D. 60 m × 0.25 mm, d _f 0.25 μm
28049-U	L × I.D. 30 m × 0.25 mm, d _f 1.00 μm

Show More



SPB[®]-35 Capillary GC Column

Compare Product No.	Description
24094	L × I.D. 30 m × 0.32 mm, d _f 0.25 μm
24092	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm



SLB[®]-IL82 Capillary GC Column

Compare Product No.	Description
29479-U	L × I.D. 30 m × 0.25 mm, d _f 0.20 μm



SLB[®]-IL61 Capillary GC Column

Compare Product No.	Description
29486-U	L × I.D. 30 m × 0.25 mm, d _f 0.20 μm



SPB[®]-1 Capillary GC Column

Compare Product No.	Description
24229-U	L × I.D. 12 m × 0.20 mm, d _f 0.33 μm
23302-U	L × I.D. 60 m × 0.75 mm, d _f 1.00 μm
24134-U	L × I.D. 10 m × 0.20 mm, d _f 1.20 μm
24162	L × I.D. 15 m × 0.20 mm, d _f 0.20 μm
24163	L × I.D. 30 m × 0.20 mm, d _f 0.20 μm

Show More



SPB[®]-5 Capillary GC Column

Compare Product No.	Description
25420-U	L × I.D. 30 m × 0.53 mm, d _f 1.00 μm
24166	L × I.D. 30 m × 0.20 mm, d _f 0.20 μm
24032	L × I.D. 15 m × 0.25 mm, d _f 0.25 μm
24034	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm
24036	L × I.D. 60 m × 0.25 mm, d _f 0.25 μm

Show More



SP[®]-2340 Capillary GC Column

Compare Product No.	Description
24022	L × I.D. 30 m × 0.25 mm, d _f 0.20 μm
24023	L × I.D. 60 m × 0.25 mm, d _f 0.20 μm
24076	L × I.D. 60 m × 0.32 mm, d _f 0.20 μm
24075	L × I.D. 30 m × 0.32 mm, d _f 0.20 μm



Equity[®]-1701 Capillary GC Column

Compare Product No.	Description
28391-U	L × I.D. 30 m × 0.53 mm, d _f 0.50 μm
28372-U	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm
28382-U	L × I.D. 30 m × 0.32 mm, d _f 0.25 μm
28387-U	L × I.D. 30 m × 0.32 mm, d _f 1.00 μm



[All Photos\(4\)](#)

SLB[®]-5ms Capillary GC Column

Compare Product No.	Description
28467-U	L × I.D. 30 m × 0.25 mm, d _f 0.10 μm
28465-U	L × I.D. 10 m × 0.10 mm, d _f 0.10 μm
28466-U	L × I.D. 15 m × 0.10 mm, d _f 0.10 μm
28564-U	L × I.D. 20 m × 0.18 mm, d _f 0.18 μm
28469-U	L × I.D. 15 m × 0.25 mm, d _f 0.25 μm

Show More



SLB[®]-IL60i Capillary GC Column

Compare Product No.	Description
29833-U	L × I.D. 60 m × 0.25 mm, d _f 0.20 μm
29829-U	L × I.D. 20 m × 0.18 mm, d _f 0.14 μm
29832-U	L × I.D. 30 m × 0.25 mm, d _f 0.20 μm
29836-U	L × I.D. 30 m × 0.32 mm, d _f 0.26 μm



SLB[®]-ILPAH Capillary GC Column

Compare Product No.	Description
29799-U	L × I.D. 20 m × 0.18 mm, d _f 0.05 μm

SLB[®]-IL111 Capillary GC Column

Compare Product No.	Description
28927-U	L × I.D. 30 m × 0.25 mm, d _f 0.20 μm
28928-U	L × I.D. 60 m × 0.25 mm, d _f 0.20 μm
29647-U	L × I.D. 100 m × 0.25 mm, d _f 0.20 μm
29689-U	L × I.D. 200 m × 0.25 mm, d _f 0.20 μm



Watercol[™] 1910 Capillary GC Column

Compare Product No.	Description
29711-U	L × I.D. 30 m × 0.25 mm, d _f 0.20 μm
29714-U	L × I.D. 30 m × 0.32 mm, d _f 0.26 μm

SLB[®]-IL76i Capillary GC Column

Compare Product No.	Description
29869-U	L × I.D. 30 m × 0.25 mm, d _f 0.20 μm



SLB[®]-IL100 Capillary GC Column

Compare Product No.	Description
28884-U	L × I.D. 30 m × 0.25 mm, d _f 0.20 μm
28886-U	L × I.D. 60 m × 0.25 mm, d _f 0.20 μm
28887-U	L × I.D. 30 m × 0.32 mm, d _f 0.26 μm



SLB[®]-IL59 Capillary GC Column

Compare Product No.	Description
28891-U	L × I.D. 30 m × 0.25 mm, d _f 0.20 μm
28880-U	L × I.D. 15 m × 0.10 mm, d _f 0.08 μm



SPB[®]-Octyl Capillary GC Column

Compare Product No.	Description
24233-U	L × I.D. 60 m × 0.25 mm, d _f 1.00 μm
24218-U	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm



Equity[®]-1 Capillary GC Column

Compare Product No.	Description
28052-U	L × I.D. 100 m × 0.25 mm, d _f 1.00 μm
28041-U	L × I.D. 12 m × 0.20 mm, d _f 0.33 μm
28046-U	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm
28047-U	L × I.D. 60 m × 0.25 mm, d _f 0.25 μm
28049-U	L × I.D. 30 m × 0.25 mm, d _f 1.00 μm

Show More



SPB[®]-35 Capillary GC Column

Compare Product No.	Description
24094	L × I.D. 30 m × 0.32 mm, d _f 0.25 μm
24092	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm



SLB[®]-IL82 Capillary GC Column

Compare Product No.	Description
29479-U	L × I.D. 30 m × 0.25 mm, d _f 0.20 μm



SLB[®]-IL61 Capillary GC Column

Compare Product No.	Description
29486-U	L × I.D. 30 m × 0.25 mm, d _f 0.20 μm



Silica PLOT Capillary GC Column

Compare Product No.	Description
29757-U	L × I.D. 60 m × 0.32 mm, average thickness 4 μm
29758-U	L × I.D. 30 m × 0.53 mm, average thickness 6 μm
29759-U	L × I.D. 60 m × 0.53 mm, average thickness 6 μm



Carbowax[®] Amine Capillary GC Column

Compare Product No.	Description
25353	L × I.D. 30 m × 0.53 mm, d _f 1.00 μm



SP[®]-2250 Capillary GC Column

Compare Product No.	Description
24010	L × I.D. 30 m × 0.25 mm, d _f 0.20 μm



SPB[®]-225 Capillary GC Column

Compare Product No.	Description
24335	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm



Petrocol[®] 2887 Capillary GC Column

Compare Product No.	Description
25323	L × I.D. 5.0 m × 0.53 mm, d _f 0.50 μm



SLB[®]-1ms Capillary GC Column

Compare Product No.	Description
29737-U	L × I.D. 60 m × 0.32 mm, d _f 0.25 μm
29734-U	L × I.D. 30 m × 0.32 mm, d _f 0.10 μm
29735-U	L × I.D. 15 m × 0.32 mm, d _f 0.25 μm



SUPELCOWAX™ 10 Capillary GC Column

Compare Product No.	Description
24284	L × I.D. 30 m × 0.25 mm, d _f 0.50 μm
24343	L × I.D. 15 m × 0.10 mm, d _f 0.10 μm
24169	L × I.D. 30 m × 0.20 mm, d _f 0.20 μm
24077	L × I.D. 15 m × 0.25 mm, d _f 0.25 μm
24079	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm

Show More



SPB®-624 Capillary GC Column

Compare Product No.	Description
28662-U	L × I.D. 20 m × 0.18 mm, d _f 1.00 μm
25430	L × I.D. 30 m × 0.53 mm, d _f 3.00 μm
24255	L × I.D. 30 m × 0.25 mm, d _f 1.40 μm
24251	L × I.D. 60 m × 0.32 mm, d _f 1.80 μm
24256	L × I.D. 60 m × 0.25 mm, d _f 1.40 μm

Show More



SPB®-608 Capillary GC Column

Compare Product No.	Description
25312	L × I.D. 30 m × 0.53 mm, d _f 0.50
24103-U	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm
23314-U	L × I.D. 60 m × 0.25 mm, d _f 0.25 μm



SP®-2331 Capillary GC Column

Compare Product No.	Description
24257	L × I.D. 30 m × 0.25 mm, d _f 0.20 μm
24105-U	L × I.D. 60 m × 0.32 mm, d _f 0.20 μm
24104-U	L × I.D. 60 m × 0.25 mm, d _f 0.20 μm



Alumina KCI PLOT Capillary GC Column

Compare Product No.	Description
29683-U	L × I.D. 50 m × 0.53 mm, average thickness 10 μm
29678-U	L × I.D. 50 m × 0.32 mm, average thickness 5 μm



VOCOL[®] Intuvo Capillary GC Column

Synonym(s): VOCOL[®] Capillary GC Column

Compare Product No.	Description
24154INT	L × I.D. 60 m × 0.25 mm, d _f 1.50 μm, for use with Agilent Intuvo GC



Petrocol[®] DH Capillary GC Column

Compare Product No.	Description
24160-U	L × I.D. 100 m × 0.25 mm, d _f 0.50 μm



Petrocol[®] DH Octyl Capillary GC Column

Compare Product No.	Description
24282	L × I.D. 100 m × 0.25 mm, d _f 0.50 μm



Petrocol[®] DH 150 Capillary GC Column

Compare Product No.	Description
24155	L × I.D. 150 m × 0.25 mm, d _f 1.00 μm



Carboxen[®]-1006 PLOT Capillary GC Column

Compare Product No.	Description
25461	L × I.D. 30 m × 0.53 mm, average thickness 30 μm
24241-U	L × I.D. 30 m × 0.32 mm, average thickness 15 μm



Petrocol[®] EX2887 Capillary GC Column

Compare Product No.	Description
25337	L × I.D. 5.0 m × 0.53 mm, d _f 0.10 μm



SPB[®]-1 SULFUR Capillary GC Column

Compare Product No.	Description
24158	L × I.D. 30 m × 0.32 mm, d _f 4.00 μm



SUPELCOWAX[™] 10 Intuvo Capillary GC Column

Synonym(s): SUPELCOWAX[™] 10 Intuvo Capillary GC Column

Compare Product No.	Description
24080UINT	column L × I.D. 30 m × 0.32 mm, d _f 0.25 μm, for use with Agilent Intuvo GC
24079INT	column L × I.D. 30 m × 0.25 mm, d _f 0.25 μm, for use with Agilent Intuvo GC
24084INT	column L × I.D. 30 m × 0.32 mm, d _f 0.50 μm, for use with Advanced Pharmaceutical Sciences Intuvo GC
24085UINT	column L × I.D. 60 m × 0.32 mm, d _f 0.50 μm, for use with Agilent Intuvo GC



Equity[®]-5 Intuvo Capillary GC Column

Synonym(s): Equity[®]-5 Intuvo Capillary GC Column

Compare Product No.	Description
28089UINT	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm, for use with Agilent Intuvo GC

SP[®]-2380 Intuvo Capillary GC Column

Synonym(s): SP[®]-2380 Intuvo Capillary GC Column

Compare Product No.	Description
24111INT	L × I.D. 60 m × 0.25 mm, d _f 0.20 μm, for use with Agilent Intuvo GC
24110UINT	L × I.D. 30 m × 0.25 mm, d _f 0.20 μm, for use with Agilent Intuvo GC



SPB[®]-5 Intuvo Capillary GC Column

Synonym(s): SPB[®]-5 Intuvo Capillary GC Column

Compare Product No.	Description
24034INT	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm, for use with Agilent Intuvo GC
24048INT	L × I.D. 30 m × 0.32 mm, d _f 0.25 μm

Astec[®] CHIRALDEX[™] A-TA Capillary GC Column

Compare Product No.	Description
73003AST	L × I.D. 30 m × 0.25 mm, d _f 0.12 μm



Astec[®] CHIRALDEX[™] A-DA Capillary GC Column

Compare Product No.	Description
72003AST	L × I.D. 30 m × 0.25 mm, d _f 0.12 μm



Mol Sieve 5A PLOT Capillary GC Column

Compare Product No.	Description
24243	L × I.D. 30 m × 0.32 mm, average thickness 15 μm
25463	L × I.D. 30 m × 0.53 mm, average thickness 30 μm



Omegawax[™] 320 Intuvo Capillary GC Column

Synonym(s): Omegawax[™] Capillary GC Column

Compare Product No.	Description
24152INT	L × I.D. 30 m × 0.32 mm, d _f 0.25 μm, for use with Agilent Intuvo GC



SPB[®]-624 Intuvo Capillary GC Column

Synonym(s): SPB[®]-624 Capillary GC Column

Compare Product No.	Description
23323UINT	column size × I.D. 30 m × 0.32 mm, d _f 1.80 μm, for use with Agilent Intuvo GC
24251INT	column L × I.D. 60 m × 0.32 mm, d _f 1.80 μm, for use with Agilent Intuvo GC
24255INT	column size × I.D. 30 m × 0.25 mm, d _f 1.40 μm, for use with Agilent Intuvo GC
24256INT	L × I.D. 60 m × 0.25 mm, d _f 1.40 μm, for use with Agilent Intuvo GC



SPB[®]-Octyl Intuvo Capillary GC Column

Synonym(s): SPB[®]-Octyl Capillary GC Column

Compare Product No.	Description
24218UINT	column L × I.D. 30 m × 0.25 mm, d _f 0.25 μm, for use with Agilent Intuvo GC



Carboxen[®]-1010 PLOT Capillary GC Column

262-373-8

Compare Product No.	Description
25467	L × I.D. 30 m × 0.53 mm, average thickness 30 μm
24246	L × I.D. 30 m × 0.32 mm, average thickness 15 μm



SLB[®]-35ms Intuvo Capillary GC Column

Synonym(s): SLB[®]-35ms Capillary GC Column

Compare Product No.	Description
29806UINT	L × I.D. 30 m × 0.25 mm, d _f 0.50 μm, for use with Agilent Intuvo GC



SLB[®]-IL111i Intuvo Capillary GC Column

Synonym(s): SLB[®]-IL111i Capillary GC Column

Compare Product No. Description

29884UINT L × I.D. 60 m × 0.25 mm, d_f 0.20 μm, for use with Agilent Intuvo GC



SLB[®]-ILPAH Intuvo Capillary GC Column

Synonym(s): SLB[®]-ILPAH Capillary GC Column

Compare Product No. Description

29799UINT L × I.D. 20 m × 0.18 mm, d_f 0.05 μm, for use with Agilent Intuvo GC



SLB[®]-PAHms Intuvo Capillary GC Column

Synonym(s): SLB[®]-PAHms Capillary GC Column

Compare Product No. Description

28340UINT L × I.D. 30 m × 0.25 mm, d_f 0.25 μm, for use with Agilent Intuvo GC



SPB[®]-20 Intuvo Capillary GC Column

Synonym(s): SPB[®]-20 Capillary GC Column

Compare Product No. Description

24086INT L × I.D. 30 m × 0.25 mm, d_f 0.25 μm, for use with Agilent Intuvo GC



SLB[®]-5ms Intuvo Capillary GC Column

Synonym(s): SLB[®]-5ms Capillary GC Column

Compare Product No. Description

28472UINT L × I.D. 60 m × 0.25 mm, d_f 0.25 μm, for use with Agilent Intuvo GC

28564UINT L × I.D. 20 m × 0.18 mm, d_f 0.18 μm, for use with Agilent Intuvo GC

28482UINT L × I.D. 30 m × 0.32 mm, d_f 0.25 μm, for use with Agilent Intuvo GC

28473UINT L × I.D. 30 m × 0.25 mm, d_f 0.50 μm, for use with Agilent Intuvo GC



SP[®]-2340 Intuvo Capillary GC Column

Synonym(s): SP[®]-2340 Capillary GC Column

Compare Product No.	Description
24023INT	L × I.D. 60 m × 0.25 mm, d _f 0.20 μm, for use with Agilent Intuvo GC



[All Photos](#)⁽³⁾

Equity[®]-1 Intuvo Capillary GC Column

Synonym(s): Equity[®]-1 Capillary GC Column

Compare Product No.	Description
28046UINT	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm, for use with Agilent Intuvo GC



Equity[®]-1701 Intuvo Capillary GC Column

Synonym(s): Equity[®]-1701 Capillary GC Column

Compare Product No.	Description
28382UINT	L × I.D. 30 m × 0.32 mm, d _f 0.25 μm, for use with Agilent Intuvo GC



SLB[®]-1ms Intuvo Capillary GC Column

Synonym(s): SLB[®]-1ms Capillary GC Column

Compare Product No.	Description
29731UINT	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm, for use with Agilent Intuvo GC



SLB[®]-IL60i Intuvo Capillary GC Column

Synonym(s): SLB[®]-IL60i Capillary GC Column

Compare Product No.	Description
29833UINT	L × I.D. 60 m × 0.25 mm, d _f 0.20 μm, for use with Agilent Intuvo GC
29832UINT	L × I.D. 30 m × 0.25 mm, d _f 0.20 μm, for use with Agilent Intuvo GC



SP[®]-2331 Intuvo Capillary GC Column

Synonym(s): SP[®]-2331 Capillary GC Column

Compare Product No.	Description
24105UINT	L × I.D. 60 m × 0.32 mm, d _f 0.2 μm, for use with Agilent Intuvo GC



SPB[®]-1 Intuvo Capillary GC Column

Synonym(s): SPB[®]-1 Capillary GC Column

Compare Product No.	Description
24028INT	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm, for use with Agilent Intuvo GC



Supel-Q[™] PLOT Capillary GC Column

Compare Product No.	Description
25462	L × I.D. 30 m × 0.53 mm, average thickness 30 μm
24242	L × I.D. 30 m × 0.32 mm, average thickness 15 μm



Petrocol[®] DH 50.2 Capillary GC Column

Compare Product No.	Description
24133-U	L × I.D. 50 m × 0.20 mm, d _f 0.50 μm



Astec[®] CHIRALDEX[™] G-TA Capillary GC Column

Compare Product No.	Description
73032AST	L × I.D. 20 m × 0.25 mm, d _f 0.12 μm
73033AST	L × I.D. 30 m × 0.25 mm, d _f 0.12 μm
73035AST	L × I.D. 50 m × 0.25 mm, d _f 0.12 μm



Astec[®] CHIRALDEX[™] G-BP Capillary GC Column

Compare Product No.	Description
75033AST	L × I.D. 30 m × 0.25 mm, d _f 0.12 μm



Astec[®] CHIRALDEX[™] G-PN Capillary GC Column

Compare Product No.	Description
74033AST	L × I.D. 30 m × 0.25 mm, d _f 0.12 μm



Astec[®] CHIRALDEX[™] G-DP Capillary GC Column

Compare Product No.	Description
78033AST	L × I.D. 30 m × 0.25 mm, d _f 0.12 μm



Astec[®] CHIRALDEX[™] B-DA Capillary GC Column

Compare Product No.	Description
72023AST	L × I.D. 30 m × 0.25 mm, d _f 0.12 μm



Astec[®] CHIRALDEX[™] B-DM Capillary GC Column

Compare Product No.	Description
77023AST	L × I.D. 30 m × 0.25 mm, d _f 0.12 μm
77025AST	L × I.D. 50 m × 0.25 mm, d _f 0.12 μm

Astec[®] CHIRALDEX[™] B-TA Capillary GC Column

Compare Product No.	Description
73023AST	L × I.D. 30 m × 0.25 mm, d _f 0.12 μm



Astec[®] CHIRALDEX[™] B-PM Capillary GC Column

Compare Product No.	Description
76023AST	L × I.D. 30 m × 0.25 mm, d _f 0.12 μm

Astec[®] CHIRALDEX[™] B-PH Capillary GC Column

Compare Product No.	Description
71023AST	L × I.D. 30 m × 0.25 mm, d _f 0.12 μm



Astec[®] CHIRALDEX[™] B-DP Capillary GC Column

Compare Product No.	Description
78023AST	L × I.D. 30 m × 0.25 mm, d _f 0.12 μm



Astec[®] ChiralDEX[™] G-TA Intuvo Capillary GC Column

Synonym(s): Astec[®] CHIRALDEX[™] G-TA Capillary GC Column

Compare Product No.	Description
73033ASTINT	L × I.D. 30 m × 0.25 mm, d _f 0.12 μm, for use with Agilent Intuvo GC



Astec[®] CHIRALDEX[™] B-DM Intuvo Capillary GC Column

Synonym(s): Astec[®] CHIRALDEX[™] B-DM Capillary GC Column

Compare Product No.	Description
77023ASTINT	L × I.D. 30 m × 0.25 mm, d _f 0.12 μm, for use with Agilent (Intuvo GC)



beta-DEX[™] 120 Intuvo Capillary GC Column

Synonym(s): β-DEX[™] 120

Compare Product No.	Description
24304INT	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm, for use with Agilent Intuvo GC



SP[®]-2331 Intuvo Capillary Column

Synonym(s): SP[®]-2331 Capillary GC Column

Compare Product No.	Description
24104UINT	L × I.D. 60 m × 0.25 mm, for use with Agilent Intuvo GC




Capillary Column Tags

Compare Product No.	Description
23779	pkg of 100 ea



Capillary Cleaving™ Tool

Compare Product No.	Description
23740-U	Fixed Blade Version



Cage for Fused Silica Column

Compare Product No.	Description
23742	size 6 in. (15 cm), for use with 0.25 mm I.D. column
23743	size 8 in. (20 cm), for use with 0.32 mm or 0.53 mm I.D. column



Shortix™ Tubing Cutter

Compare Product No.	Description
21386-U	



Supelco DEX™ GC Column Screening Kit

Compare Product No.	Description
24340	kit I



[All Photos](#)(3)

Capillary Column Butt Connector

Compare Product No.	Description
23796	I.D. 0.4 mm, Supeltex M-2 ferrule included
23804	body only (ferrules not included)



Polyimide Sealing Resin

Compare Product No.	Description
23817	pkg of 5 g



Packed GC Column Set

Compare Product No.	Description
13993-U	suitable for 2261 per GPA (3-column set)



Supeltex™ M-2B Double-Tapered Ferrule

Compare Product No.	Description
22456	I.D. 0.5-1.2 mm, 0.32 mm I.D. to 0.75 mm I.D. Column, pkg of 2 ea
22453	I.D. 0.4 mm, 0.10-0.25 mm to like I.D. Column, pkg of 2 ea
22454	0.32 mm to like I.D. Column, pkg of 2 ea, I.D. 0.5 mm
22591	I.D. 0.8 mm, 0.53 mm to like I.D. Column, pkg of 2 ea
22455-U	I.D. 0.4-0.8 mm, 0.10-0.25 mm I.D. to 0.53 mm I.D. Column, pkg of 2 ea

Show More



PTFE Packed GC Column (General Configuration)

Compare Product No.	Description
11501-U	phase none, matrix Chromosil 310 support, L × O.D. × I.D. 8.0 ft (2.4 m) × 1/8 in. × 2.1 mm, Ends empty; middle 6 ft packed
11496	phase none, matrix Chromosil 330 support, L × O.D. × I.D. 8.0 ft (2.4 m) × 1/8 in. × 2.1 mm, Ends empty, middle 6 ft packed



Supeltex™ M-2 Double-Tapered Ferrule

Compare Product No.	Description
22590-U	I.D. 0.8 mm, 0.53 mm to like I.D. column, pkg of 2 ea
22585	I.D. 0.25 mm, 0.10 mm to like I.D. column, pkg of 2 ea

Compare Product No.	Description
23797	I.D. 0.4 mm, 0.10-0.25 mm to like I.D. column, pkg of 2 ea
22464	I.D. 0.5 mm, 0.32 mm to like I.D. column, pkg of 2 ea
22465	I.D. 0.4-0.8 mm, 0.10-0.25 mm I.D. to 0.53 mm I.D. column (reducing), pkg of 2 ea

Show More



GlasSeal™ Capillary Column Connector, Borosilicate Glass

Compare Product No.	Description
20479	pkg of 12 ea



GlasSeal™ Capillary Column Connector, Fused Silica

Compare Product No.	Description
23627	pkg of 5 ea
23628	pkg of 25 ea



"Y" GlasSeal™ Connector, Borosilicate Glass

Compare Product No.	Description
20480	pkg of 1 ea



"Y" GlasSeal™ Connector, Fused Silica

Compare Product No.	Description
23632	pkg of 3 ea
23631	pkg of 1 ea



β-DEX™ 110

262-373-8

Compare Product No.

Description

24302

L × I.D. 60 m × 0.25 mm, d_f 0.25 μm

24301

L × I.D. 30 m × 0.25 mm, d_f 0.25 μm



α-DEX™ 225

262-373-8

Compare Product No.

Description

24311

L × I.D. 30 m × 0.25 mm, d_f 0.25 μm



β-DEX™ 325

Compare Product No.

Description

24308

L × I.D. 30 m × 0.25 mm, d_f 0.25 μm



γ-DEX™ 325

Compare Product No.

Description

24306

L × I.D. 30 m × 0.25 mm, d_f 0.25 μm



β-DEX™ 120

Compare Product No.

Description

24304

L × I.D. 30 m × 0.25 mm, d_f 0.25 μm

24305-U

L × I.D. 60 m × 0.25 mm, d_f 0.25 μm



α-DEX™ 120

262-373-8

Compare Product No.

Description

24310

L × I.D. 30 m × 0.25 mm, d_f 0.25 μm



γ-DEX™ 120

Compare Product No.	Description
24307	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm

β-DEX™ 225

Compare Product No.	Description
24348	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm



γ-DEX™ 225

Compare Product No.	Description
24312	L × I.D. 30 m × 0.25 mm, d _f 0.25 μm

CapSeal Bullet™ Capillary Ferrule, General Purpose

Compare Product No.	Description
23481	I.D. 0.5 mm, 0.32 mm Column I.D., pkg of 12 ea
23480-U	I.D. 0.4 mm, 0.10-0.25 mm Column I.D., pkg of 12 ea
23486	I.D. 0.5 mm, 0.32 mm Column I.D., pkg of 48 ea
23482	I.D. 0.8 mm, 0.53 mm Column I.D., pkg of 12 ea
23487	I.D. 0.8 mm, 0.53 mm Column I.D., pkg of 48 ea



CapSeal Bullet™ Capillary Ferrule, Long Design

Compare Product No.	Description
23495	I.D. 0.8 mm, 0.53 mm Column I.D., pkg of 48 ea
23489	I.D. 0.5 mm, 0.32 mm I.D. Column, pkg of 12 ea



CapSeal Bullet™ Capillary Ferrule, Short Design

Compare Product No.	Description
23867	I.D. 0.4 mm, 0.10-0.25 mm Column I.D., pkg of 50 ea

Compare Product No.	Description
23864	I.D. 0.4 mm, 0.10-0.25 mm Column I.D., pkg of 10 ea
23865	I.D. 0.5 mm, 0.32 mm Column I.D., pkg of 10 ea
23868	I.D. 0.5 mm, 0.32 mm Column I.D., pkg of 50 ea
23866	I.D. 0.8 mm, 0.53 mm Column I.D., pkg of 10 ea

Show More



Supeltex™ M-2A Capillary Ferrule, Long Design

Compare Product No.	Description
24826-U	Long Design, I.D. 0.4 mm, pkg of 10 ea
28022-U	I.D. 0.4 mm, 0.10-0.25 mm Column I.D., pkg of 50 ea
24824-U	I.D. 0.5 mm, 0.32 mm Column I.D., pkg of 10 ea
28024-U	I.D. 0.8 mm, 0.53 mm Column I.D., pkg of 50 ea



Supeltex™ M-4 Capillary Ferrule, Long Design

Compare Product No.	Description
28027-U	I.D. 0.8 mm, 0.53 mm Column I.D., pkg of 10 ea
28025-U	I.D. 0.4 mm, 0.10-0.25 mm Column I.D., pkg of 10 ea
28028-U	I.D. 0.4 mm, 0.10-0.25 mm Column I.D., pkg of 50 ea
28026-U	I.D. 0.5 mm, 0.32 mm Column I.D., pkg of 10 ea
28031-U	I.D. 0.5 mm, 0.32 mm Column I.D., pkg of 50 ea

Show More



Supeltex™ M-1 Capillary Ferrule, General Purpose

Compare Product No.	Description
22499	I.D. 0.8 mm, 0.53 mm Column I.D., pkg of 10 ea



Supeltex™ M-2A Capillary Ferrule, General Purpose

Compare Product No.	Description
22473	I.D. 0.8 mm, 0.53 mm Column I.D., pkg of 50 ea

Compare Product No.	Description
503258	I.D. 0.4 mm, 0.10-0.25 mm Column I.D., pkg of 10 ea
22474	I.D. 0.4 mm, 0.10-0.25 mm Column I.D., pkg of 50 ea
22467	I.D. 0.4 mm, 0.10-0.25 mm Column I.D. (2-hole), pkg of 5 ea
22461	I.D. 0.5 mm, 0.32 mm Column I.D., pkg of 10 ea

Show More



Supeltex™ M-2A Capillary Ferrule, Short Design

Compare Product No.	Description
24801-U	ferrule type, short, 0.53 mm Column I.D., pkg of 10 ea
24803-U	I.D. 0.4 mm, 0.10-0.25 mm Column I.D., pkg of 10 ea
24807-U	I.D. 0.4 mm, 0.10-0.25 mm Column I.D., pkg of 50 ea
24806-U	I.D. 0.5 mm, 0.32 mm Column I.D., pkg of 50 ea
24804-U	I.D. 0.8 mm, 0.53 mm Column I.D., pkg of 50 ea



Supeltex™ M-2B Capillary Ferrule, Long Design

Compare Product No.	Description
22512	I.D. 0.8 mm, 0.53 mm Column I.D., pkg of 10 ea
22510-U	I.D. 0.4 mm, 0.10-0.25 mm Column I.D., pkg of 10 ea
22511	I.D. 0.5 mm, 0.32 mm Column I.D., pkg of 10 ea



Supeltex™ M-4 Capillary Ferrule, General Purpose

Compare Product No.	Description
22412	I.D. 0.5 mm, 0.32 mm Column I.D., pkg of 50 ea
22498	I.D. 0.4 mm, 0.10-0.25 mm Column I.D., pkg of 10 ea
22480-U	I.D. 0.4 mm, 0.10-0.25 mm Column I.D., pkg of 50 ea
22462	I.D. 0.5 mm, 0.32 mm Column I.D., pkg of 10 ea
20628	I.D. 0.8 mm, 0.53 mm Column I.D., pkg of 10 ea

Show More



Supeltex™ M-4 Capillary Ferrule, Short Design

Compare Product No.	Description
24808-U	I.D. 0.8 mm, 0.53 mm Column I.D., pkg of 10 ea
24811-U	I.D. 0.4 mm, 0.10-0.25 mm Column I.D., pkg of 10 ea
24809-U	I.D. 0.5 mm, 0.32 mm Column I.D., pkg of 10 ea
24813-U	I.D. 0.5 mm, 0.32 mm Column I.D., pkg of 50 ea
24812-U	pkg of 50 ea, I.D. 0.8 mm, 0.53 mm Column I.D.



Capillary Column Butt Connector Nut

Compare Product No.	Description
23812	1/16 in. male knurled fingertight
23805	1/16 in. male hexagonal wrenchtight



Astec® CHIRALDEX™ GC Column Screening Kit

Compare Product No.	Description
71030AST	L × I.D. 30 m × 0.25 mm, pkg of 1 kit



Supelco Ferrule Nut Adapter (fits Agilent MS detectors), knurled fingertight version

Compare Product No.	Description
22517	pkg of 2 ea



Capillary Column Nut (fits Agilent injectors and non-MS detectors), hexagonal wrenchtight version

Compare Product No.	Description
24833-U	pkg of 2 ea



Supelco Ferrule Nut Adapter (fits Agilent injectors and non-MS detectors), hexagonal wrenchtight version

Compare Product No.	Description
22470-U	pkg of 2 ea



Supelco Ferrule Nut Adapter (fits Agilent injectors and non-MS detectors), knurled fingertight version

Compare Product No.	Description
22509	pkg of 2 ea



Capillary Column Nut (fits Agilent [MS detector] and PerkinElmer®), hexagonal wrenchtight version

Compare Product No.	Description
28034-U	pkg of 5 ea



Test mixture 2 for apolar capillary columns according to Grob

Compare Product No.	Description
86501	suitable for GC, ready-to-use



GC Stationary Phase

Compare Product No.	Description
---------------------	-------------

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922) 49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Ижевск (3412)26-03-58
Иваново (4932)77-34-06
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81
Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Ноябрьск (3496)41-32-12
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Сургут (3462)77-98-35
Тамбов (4752)50-40-97
Казахстан (772)734-952-31

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93